



PB33 - Lincat Silverlink 600 Electric Counter-top Pasta Cooker - Single Tank - W 300 mm - 3.0 kW

Not only does the Silverlink 600 Electric Pasta Boiler deliver perfect pasta every time, it also has the versatility to be used as a steamer and Bain Marie, too.

- ✓ Delivering perfect pasta, time after time
- ✓ Front mounted controls ensure safe working practice
- ✓ Hinging element with safety cut-out provides easy access to tank for cleaning
- ✓ Thermostatic control maintains accurate water temperature
- ✓ Enhanced resistance to punishing salt and starch corrosion with high quality grade 304 stainless steel tanks, basket support plates, and corrosion-resistant elements
- ✓ Front drain taps with straight drain pipes for fast, easy drainage of water - and no blockages
- ✓ Lid to reduce heat up time and also cover tanks when not in use

Specifications

Summary		Power and Performance	
Brand	Lincat	Total Power kW	3.0
Range	Silverlink 600	IP Rating	IP33
Power Type	Electric	Temperature Control	Mechanical
Unit Type	Counter-top		
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105100164		

Key Specifications		Capacity	
Number of Baskets	0	Product Output per Hour	5kg pasta - penne [fresh]
Number of Tanks	1	Capacity Litres	11

Weights and Dimensions		Supply Connections	
Unit Height (External) mm	330	Requires Installation	No
Unit Width (External) mm	300	Requires Electrical Supply	Yes
Unit Depth (External) mm	600	UK 3 Pin Plug	Yes
Net Weight Kg	12.5	Requires Hardwiring	No
		Electrical Supply Rating Watts	3,000
		Single Phase Amps	13.0
		Single Phase Voltage	230

Shipping

Packed Weight Kg	13.75
Packed Height cm	49.5
Packed Width cm	70
Packed Depth cm	40




Available Accessories

BA112	BASKET PASTA
BA114	BASKET 1/2 PASTA
BA115	BASKET R/H 1/4 PASTA
BA116	BASKET L/H 1/4 PASTA

Available Accessories

CC3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 300 mm
CN3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 300 mm
HC3	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 300 mm - 0.25 kW
HCL3	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 300 mm - 0.25 kW
SLS3	Lincat Silverlink 600 Free-standing Floor Stand - for units W 300 mm

Technical Picture





Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday:

8.30am – 5pm