

PASTA COOKERS

VMC VMC TURBO

PASTA COOKERS MULTI-FUNCTION COOKER

PASTA COOKERS

Capacity 25 to 40 litres.

Stainless steel pan 310 x 510 x 300-310mm (GN 1/1), resistant to salty water, pressed from a single piece of metal, easy to clean.

Thermostat Adjustable from 40 to 100°C.

Drain valve

Combinations of accessories and baskets Suitable for various applications.

Built-in version also available

PASTA COOKERS WITH LIFTS

2 independent lifts With timer.

Precise cooking time

Drain valve

Baskets Ability to integrate 3 small baskets on each side (optional).





Pivoting heating element The pivoting heating element system ensures easy access to the pan and makes daily upkeep simple.

The excellent quality of the pasta cookers guarantee the user top-quality performance, constant safety and simple maintenance.

ACCESSORIES/BASKETS EVEN MORE POSSIBILITIES





Pasta Cooker 2 rectangular baskets measuring 140 x 280mm or 4 round baskets Ø140mm. Stainless steel tray at front to drain baskets on. Other combinations available.

Numerous combinations of perforated GN containers to cook, blanch, boil and poach.



Noodle Cooker Includes noodle plate and 6 round noodle baskets



Bain-marie Combination of GN 1/6, 1/3, 1/2, 1/1 containers and lids, 100/150/200mm deep with support bars.



Sous-vide Stainless steel baskets numbered 1 to 6 for vacuum-sealed sachets.



Water supply Supplied with tap mounted on back.

BUILT-IN THE TAILOR-MADE SOLUTION

An attractive, made-to-measure solution suitable for all your needs

All the Valentine pasta cookers fit perfectly into any work surface. This means you can design your kitchen to best suit your needs. This solution simplifies the cleaning and upkeep of your kitchen, ensuring perfect safety and hygiene.

PASTA/NOODLE COOKERS TECHNICAL INFORMATION

Pasta cookers	Pasta cookers	Pasta cookers "Turbo"	Noodle cookers	Noodle cookers "Turbo"
Contenance	25-40 l.	25-40 l.	25-40 l.	25-40 l.
Dimensions (mm) Length Depth Height	350 600 850	350 600 850	350 600 850	350 600 850
Gross weight (kg)	31	31	31	31
Voltage (V)	3N400V	3N400V	3N400V	3N400V
Kilowatts (kW)	6,6	10	6,6	10
Fuses (A)	9,5	14,5	9,5	14,5

All changes reserved



Valentine Equipment Ltd 4 Trafford Road, Reading Berkshire RG1 8JS

T +44 (0)118 957 1344 info@valentinefryers.com www.valentinefryers.com